



امارت اسلامی افغانستان
هیئت رهبری شرکت های امارتی



د افغانستان اسلامی امارت
د امارتی شرکتونو رهبری پلاوی



Islamic Emirate of Afghanistan Afghan Telecom Corporation

د افغان تیلی کام مخابراتی امارتی شرکت لوی ریاست
د مالی او اداری معاونیت
د تدارکاتو ریاست
د پیرو دلو آمریت
د تخنیکي او اجناسو پیرو دلو مدیریت

(موضوع: تهیه و تدارک یک عدد سرور)

{3991}

شماره درخواست نرخدهی:

{1445/12/2}

تاریخ صدور درخواست نرخدهی به قمری:

{1403/3/20}

تاریخ صدور درخواست نرخدهی به شمسی:

جنس فوق ضرورت : ریاست تکنالوژی معلوماتی

تاریخ ترتیب استعلام : (2 / 12 / 1445)

- (1) اداره {نام اداره تدارکاتی را درج کنید} تخصیص بودجه لازم برای تدارک اجناس/ خدمات غیر مشورتی مندرج این درخواست را دارد.
- (2) آفر سربسته شما الی {تاریخ و وقت را درج کنید} یا قبل از آن به دفتر {مدیریت خریداری امریت تهیه و تدارکات شرکت افغان تیلیکام} تسلیم داده شود.
- (3) آفر ها نیکه بعد از میعاد تسلیمی ارائه گردند، بدون اینکه باز شود مسترد می گردد. پاکت حاوی آفر باید به صورت واضح عبارت نرخ برای {نام اجناس/ خدمات غیر مشورتی را درج کنید} نشانی شده باشد.
- (4) آفر ارائه شده در آفرها باید الی مدت (30) روز تقویمی سر از تاریخ ختم میعاد تسلیمی آفرها اعتبار داشته باشد.
- (5) در صورت تغییر در مقدار نیازمندی، اداره می تواند مقدار نیازمندی تقاضا شده را الی (25) فیصد زیاد و یا کم نماید، مشروط به اینکه قیمت مجموعی آن از حدود صلاحیت پولی برای درخواست نرخ گیری تجاوز ننماید.
- (6) ترجیح داخلی مطابق حکم چهارم طرز العمل تدارکات قابل اجرا است. {مورد ترجیح داخلی و فیصدی آنرا درج نمائید}.
- (7) آفر گشائی در محضر عام حتمی نبوده و فرمایش دهنده مکلف به قبول نازلترین نرخ نمی باشد. در صورت رد هر یک یا تمام آفرها فرمایش دهنده کدام مسئولیت در قبال داوطلب تهیه/ ارائه کننده ندارد.
- (8) آفر دهنده اسناد ذیل را با آفر خویش ضمیمه می نماید:
 - 1- جواز تجارتی/ فعالیت/ کار قابل اعتبار؛
 - 2- نمبر تشخیصیه مالییه؛
 - 3- اجازه نامه تولید کننده (در صورت لزوم).
 - 4-
- (9) سند نرخ گیری تکمیل و توسط شخص با صلاحیت یا نماینده تهیه/ ارائه کننده در هر صفحه مهر امضاء شده باشد.
نام کارمند صادر کننده درخواست نرخ گیری:

امضاء هیئت

امضاء هیئت

امضاء هیئت

جدول اقلام و قیمت ها

شماره	اسم و تشریح با مشخصات تخنیکی اقلام	واحد	مقدار	قیمت فی واحد به افغانی	قیمت مجموعی به افغانی
1	Server PowerEdge R960 – 4U Space (Short details) • 2.5” Chassis with up to 32 Hard Drives (SAS/SATA), Dual Controller, Smart Flow, 4CPU, PERC12 • 4x,intel® Xeon® Platinum 8450H 2G, 28C/56T, 16GT/s, 75M Cache, Turbo, HT (250W) DDR5-4800 • 16x,32GB RDIMM,4800MT/s Dual Rank • 32x, 2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5 in Hot –Plug, Storage • Quad, Fully Redundant (2+2) , Hot Plug Power Supply 2400W MM • Broadcom 57504 Quad Port 10/25GbE,SFP28, OCP NIC 3.0 • Broadcom 5719 Quad Port 1GbE BASE-T Adapter, PCIe Full Height, V2 FIRMWARE RESTRICTIONS APPLY • Note: Check the attachment for full details	عدد	1		
• <u>داوطلب مکلف است که جنس را طبق مشخصات درج شده در استعلام هذا تهیه و تدارک نماید، در صورتیکه از جانت داوطلب در مشخصات فوق الذکر تغییرات وارد گردد آفر وی باطل پنداشته میشود.</u>					
مجموع قیمت به ارقام بشمول مالیات : عدد					
مجموع قیمت به حروف بشمول مالیات:					
مجموع مبلغ مالیات به ارقام و حروف:					
مجموع قیمت به ارقام بدون مالیات: عدد (قابل پرداخت)					
مجموع قیمت به حروف بدون مالیات (قابل پرداخت)					
مدت ضمانت (ورانتی/ گرننتی) بعد از تاریخ اكمال:					
مشخصات ضم پیشنهاد می باشد:					
یاداشت : هرگاه شرکت میخواهند انصراف کند باید از تاریخ استعلام نرخگیری الی دو یوم انصراف خود را بطور رسمی ارایه نماید. شرکت برنده مکلف است که بعد از برنده شدن باید جنس/خدمات را در ظرف یک هفته ارایه نماید.					

مشخصات تخنیکی اجناس

شماره	اقلام	مشخصات
آدرس مشخص شرکت: ایمیل آدرس شرکت:		
اسم تهیه/ ارائه کننده: اسم شخص یا نماینده با صلاحیت تهیه/ ارائه کننده: امضای شخص یا نماینده تهیه/ ارائه کننده: تاریخ: شماره تلفون حتمی:		مهر تهیه/ ارائه کننده

یادداشت: فرمایش گیرنده کاپی رهنمود، ساخت و مدل، بروشور و یا فهرست تجهیزات یا خدماتی را که اکمال می نماید ضمیمه نماید. معلومات فوق جهت ارزیابی مؤثر آفرها استفاده می گردد.

شرایط تدارک و پرداخت

شرایط ذیل صرف با موافقه تحریری فرمایش دهنده قابل تغییر می باشد.

- (1) تهیه کننده مکلف به پرداخت تأمینات و تضمینات می باشد، تأمینات از سر جمع پول 5 الی 15 فیصد اخذ میگردد و بعد از تکمیل و رانتهی به اکانت شرکت انتقال میگردد.
- (2) بعد از اکمال خدمات غیر مشورتی/ تهیه اجناس، تهیه/ ارائه کننده باید نسخه اصلی و (2) کاپی بل (Invoice) را به فرمایش دهنده تسلیم نماید؛
- (3) پرداخت توسط فرمایش دهنده، طی مدت (30) روز کاری درمقابل مقدار واقعی اجناس/خدمات غیر مشورتی تهیه شده صورت می گیرد.
- (4) فرمایش دهنده میتواند در حالات ذیل با ارسال اطلاعیه کتبی به تهیه/ ارائه کننده، امر خریداری را کاملاً یا قسمیاً فسخ نماید:
 - 1- تهیه/ ارائه کننده موفق به تحویل بخش یا تمام اجناس در ظرف مدت معینه در امر خریداری نشود؛
 - 2- تهیه/ ارائه کننده موفق به اجرای مکلفیت های دیگر تحت امر خریداری نشود.
 - 3- هرگاه در اجناس اکمال شده یا خدمات ارائه شده نواقص و یا کاستی ها مشاهده گردد، تهیه/ ارائه کننده مکلف به رفع نواقص و کاستی ها در مدت (3) روز کاری بعد از دریافت اطلاعیه در مورد می باشد، در غیر آن فرمایش دهنده می تواند امر خریداری را فسخ نماید.
 - 4- هرگاه تهیه/ ارائه کننده، در جریان داوطلبی و یا حین اجرای وظایف محوله تحت امر خریداری اقدام به فساد و تقلب نموده باشد.
 - (5) هرگاه در درخواست نرخ گیری میعاد ضمانت (وارنتی/ گرننتی) تصریح گردیده باشد، تهیه/ ارائه کننده مکلف به تعویض در طول مدت معینه می باشد.

اصلاح اشتباهات محاسبوی

(1) اشتباهات محاسبوی طور ذیل تصحیح می گردد:

- 1- در صورت تفاوت میان مبلغ به ارقام و حروف، مبلغ به حروف قابل اعتبار می باشد؛
- 2- در صورتیکه تفاوت میان قیمت فی واحد و قیمت مجموعی وجود داشته باشد، قیمت فی واحد برای ارزیابی قیمت ها و ترتیب امر خریداری قابل اعتبار می باشد؛
- 3- در صورت موجودیت تفاوت میان نرخ فی واحد و قیمت مجموعی (حاصل ضرب مقدار در نرخ فی واحد)، نرخ فی واحد قابل اعتبار می باشد، هرگاه از نظر فرمایش دهنده اشتباه در نقاط اعشاری در قیمت فی واحد برجسته باشد، در این صورت قیمت مجموعی اقلام طوریکه نرخ داده شده است قابل اعتبار بوده و قیمت فی واحد باید اصلاح شود.
- 4- فرمایش دهنده مطابق مندرجات فوق اشتباهات محاسبوی را اصلاح و بعد از اخذ موافقه کتبی داوطلب در قیمت مجموعی آفر محاسبه می نماید.
- 5- داوطلب مکلف به پذیرش اشتباهات محاسبوی در آفر خویش می باشد. در صورت عدم پذیرش اشتباهات محاسبوی توسط داوطلب، آفر وی رد می گردد.

نوت:





PowerEdge R960 Rack Server Summary

Components

Option	Selection	SKU / Product Code	Quantity			
PowerEdge R960	[210-BGPS] / G875XEL	1	Base	PowerEdge R960	[210-BGPS] / G875XEL	1
Trusted Platform Module 2.0 V3	[461-AAIG] / GGX1VDO	1	Trusted Platform Module	Trusted Platform Module 2.0 V3	[461-AAIG] / GGX1VDO	1
2.5" Chassis with up to 32 Hard Drives (SAS/SATA), Dual Controller, Smart Flow, 4CPU, PERC12	[321-BJHC] / GQ12Y5I	1	Chassis	2.5" Chassis with up to 32 Hard Drives (SAS/SATA), Dual Controller, Smart Flow, 4CPU, PERC12	[321-BJHC] / GQ12Y5I	1
2x Intel® Xeon® Platinum 8450H 2G, 28C/56T, 16GT/s, 75M Cache, Turbo, HT (250W) DDR5-4800	[338-CKVX] / GA3WRF2	1	Processor	2x Intel® Xeon® Platinum 8450H 2G, 28C/56T, 16GT/s, 75M Cache, Turbo, HT (250W) DDR5-4800	[338-CKVX] / GA3WRF2	1
2x Intel® Xeon® Platinum 8450H 2G, 28C/56T, 16GT/s, 75M Cache, Turbo, HT (250W) DDR5-4800	[338-CKVX][379-BDNR] / GK7DB3C	1	Additional Processor	2x Intel® Xeon® Platinum 8450H 2G, 28C/56T, 16GT/s, 75M Cache, Turbo, HT (250W) DDR5-4800	[338-CKVX][379-BDNR] / GK7DB3C	1
Heatsink for 4 CPU Configuration (CPU more than or equal to 205W, No GPU)	[412-BBCC] / GIB2XAN	1	Processor Thermal Configuration	Heatsink for 4 CPU Configuration (CPU more than or equal to 205W, No GPU)	[412-BBCC] / GIB2XAN	1
Performance Optimized	[370-AAIP] / GH9QBEI	1	Memory Configuration Type	Performance Optimized	[370-AAIP] / GH9QBEI	1
4800MT/s RDIMMs	[370-AHCL] / GGBEML0	1	Memory DIMM Type and Speed	4800MT/s RDIMMs	[370-AHCL] / GGBEML0	1

Option	Selection	SKU / Product Code	Quantity				
32GB RDIMM, 4800MT/s Dual Rank	[370-AGZP] / GLAB4FG	16	Memory	32GB RDIMM, 4800MT/s Dual Rank	[370-AGZP] / GLAB4FG	16	
C43, Unconfigured RAID for Dual Controllers 1-16 + 1-16 (Mixed Drive Types Allowed)	[780-BCHK] / G2PFLYJ	1	RAID	C43, Unconfigured RAID for Dual Controllers 1-16 + 1-16 (Mixed Drive Types Allowed)	[780-BCHK] / G2PFLYJ	1	
Dual Controller, Front PERC H965i Rear Load + Front PERC H965i Rear Load	[405-ABDN][405-ABDN][750-ADSQ] [750-ADSQ] / GSNYHI8	1	RAID/Internal Storage Controllers	Dual Controller, Front PERC H965i Rear Load + Front PERC H965i Rear Load	[405-ABDN] [405-ABDN] [750-ADSQ] [750-ADSQ] / GSNYHI8	1	
2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5in Hot-Plug	[161-BCBX] / G0DK36H	32	Storage	2.4TB Hard Drive SAS ISE 12Gbps 10K 512e 2.5in Hot-Plug	[161-BCBX] / G0DK36H	32	
Performance BIOS Setting	[384-BBBL] / GJO594B	1	BIOS and Advanced System Configuration Settings	Performance BIOS Setting	[384-BBBL] / GJO594B	1	
UEFI BIOS Boot Mode with GPT Partition	[800-BBDM] / GSFTG4Y	1	Advanced System Configurations	UEFI BIOS Boot Mode with GPT Partition	[800-BBDM] / GSFTG4Y	1	
No Energy Star	[387-BBEY] / G9I0NL3	1	Advanced System Configurations	No Energy Star	[387-BBEY] / G9I0NL3	1	
Quad, Fully Redundant (2+2), Hot Plug Power Supply 2400W MM	[450-BBGP] / GQ9N052	1	Power Supply	Quad, Fully Redundant (2+2), Hot Plug Power Supply 2400W MM	[450-BBGP] / GQ9N052	1	
PowerCord, 250V, 2FT, C19/C20, US	[450-AEIT] / GQK080Y	4	Power Cords	PowerCord, 250V, 2FT, C19/C20, US	[450-AEIT] / GQK080Y	4	
Riser Config 0, Half Length, 4x16 FH Slots (Gen5), 4CPU	[330-BCFC] / GAOEM2L	1	PCIe Riser	Riser Config 0, Half Length, 4x16 FH Slots (Gen5), 4CPU	[330-BCFC] / GAOEM2L	1	
Broadcom 57504 Quad Port 10/25GbE, SFP28, OCP NIC 3.0	[540-BCRX] / GAKY4CT	1	OCP 3.0 Network Adapters	Broadcom 57504 Quad Port 10/25GbE, SFP28, OCP NIC 3.0	[540-BCRX] / GAKY4CT	1	
Broadcom 5720 Dual Port 1GbE Optional LOM	[540-BDKD] / GY8XSA9	1	Additional Network Cards	Broadcom 5720 Dual Port 1GbE Optional LOM	[540-BDKD] / GY8XSA9	1	

Option	Selection	SKU / Product Code	Quantity			
Broadcom 5719 Quad Port 1GbE BASE-T Adapter, PCIe Full Height, V2, FIRMWARE RESTRICTIONS APPLY	[540-BDRH] / G6B5F7S	1	Additional Network Cards	Broadcom 5719 Quad Port 1GbE BASE-T Adapter, PCIe Full Height, V2, FIRMWARE RESTRICTIONS APPLY	[540-BDRH] / G6B5F7S	1
PowerEdge 4U LCD Bezel	[320-BFCM][350-BCMF] / GGPWSSL	1	Bezel	PowerEdge 4U LCD Bezel	[320-BFCM][350-BCMF] / GGPWSSL	1
BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	[403-BCRU][470-BBCB] / GG3JTSY	1	Boot Optimized Storage Cards	BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	[403-BCRU][470-BBCB] / GG3JTSY	1

OS & Software

Option	Selection	SKU / Product Code	Quantity			
No Operating System	[619-ABVR] / NOOS	1	Operating System	No Operating System	[619-ABVR] / NOOS	1
None			Secondary OS	None		
No Media Required	[421-5736] / NOMED	1	OS Media Kits	No Media Required	[421-5736] / NOMED	1
None			Database Software	None		
iDRAC9, Datacenter 16G	[528-CTID] / GLCN7JD	1	Embedded Systems Management	iDRAC9, Datacenter 16G	[528-CTID] / GLCN7JD	1
No Quick Sync	[350-BCMD] / GYBV5ZI	1	Quick Sync	No Quick Sync	[350-BCMD] / GYBV5ZI	1
iDRAC,Factory Generated Password	[379-BCSF] / G2T768J	1	Password	iDRAC,Factory Generated Password	[379-BCSF] / G2T768J	1
iDRAC Service Module (ISM), Pre-Installed in OS	[658-BFRK] / GB3MUOF	1	iDRAC Service Module	iDRAC Service Module (ISM), Pre-Installed in OS	[658-BFRK] / GB3MUOF	1
iDRAC Group Manager, Disabled	[379-BCQY] / GTVA94K	1	Group Manager	iDRAC Group Manager, Disabled	[379-BCQY] / GTVA94K	1

Virtualization

Option	Selection	SKU / Product Code	Quantity
None			Enabled Virtualization None

Accessories

Option	Selection	SKU / Product Code	Quantity
2U Combo Drop-In/Stab-In Rails With Cable Management Arm	[770-BED][770-BFCQ] / GM29RGV	1	Rack Rails 2U Combo Drop-In/Stab-In Rails With Cable Management Arm [770-BED][770-BFCQ] / GM29RGV 1
Keyboard and Optical Mouse, USB, Black, English	[570-AAKV][580-ADJC] / G85C0K6	1	Server Accessories Keyboard and Optical Mouse, USB, Black, English [570-AAKV][580-ADJC] / G85C0K6 1
Internal USB 3.0 Card	[385-BBOW] / GHEAGN8	1	Server Accessories Internal USB 3.0 Card [385-BBOW] / GHEAGN8 1
8X DVD-ROM, USB, External	[429-ABJU] / GQ209CA	1	Server Accessories 8X DVD-ROM, USB, External [429-ABJU] / GQ209CA 1

Shipping & Documentation

Option	Selection	SKU / Product Code	Quantity
PowerEdge R960 Shipping	[340-DGCC] / GA4HST6	1	SHIPPING PowerEdge R960 Shipping [340-DGCC] / GA4HST6 1
PowerEdge R960 Shipping Material	[340-DGCF] / GPMG1NZ	1	Shipping Material PowerEdge R960 Shipping Material [340-DGCF] / GPMG1NZ 1
PowerEdge R960 CE Marking, No BIS or CCC Marking on 2.5" Chassis	[343-BBVL] / G3TY7FQ	1	Regulatory PowerEdge R960 CE Marking, No BIS or CCC Marking on 2.5" Chassis [343-BBVL] / G3TY7FQ 1

Others

Option	Selection	SKU / Product Code	Quantity
None			OEM Regulatory None

Support Services

Option	Selection	SKU / Product Code	Quantity
--------	-----------	--------------------	----------

Option	Selection	SKU / Product Code	Quantity
Basic Next Business Day 36 Months, 36 Month(s)	[709-BBFK] / G2OMRPV	1	Protect your purchase ¹ - View Support offers below Basic Next Business Day 36 Months, 36 Month(s) [709-BBFK] / G2OMRPV 1
Basic Next Business Day, 37 Month(s)	[865-BBNP] / G01749W	1	Extended Services Basic Next Business Day, 37 Month(s) [865-BBNP] / G01749W 1
None			Keep Your Hard Drive for Enterprise Services None
None			Keep Your Component for Enterprise Services None
None			Services:Onsite Diagnosis Service None

Deployment Services

Option	Selection	SKU / Product Code	Quantity
None			Infrastructure Deployment Svcs None
None			Enterprise Deployment Services None
None			Enterprise ProDeploy NFVI Software Deployment Serv None
None			Enterprise ProDeploy NFVI Hardware Deployment Serv None

Other Services

Option	Selection	SKU / Product Code	Quantity
None			Fees None
None			Sftwr Svcs - Omnia Support None

Also included in this system

The following options and default selections are included with your order.

PowerEdge R960 Motherboard, MX
No Cables Required, No GPU Blanks
No Systems Documentation, No OpenManage DVD Kit

Additional Summary Information

Date Created: Wed Jan 10 2024 16:09:33 GMT+0430 (Afghanistan Time)

